

SKP
Constant Air Volume Dampers

EFFECTIV
H V A C 

SKP SERIES

Constant Air Volume Dampers

-  Self-adjusts to maintain preset air volume despite pressure variations
-  3 Models for Various Pressure Ranges: SKP (0.2"-1" or 50-250 Pa), SKP-LP (0.08"-0.4" or 20-100 Pa) and SKP-HP (0.6"-2.4" or 150-600 Pa)
-  Available for duct diameters ranging between 3" and 10"
-  Facilitates air balancing
-  Helps ensure optimal performance of the system over time
-  Great solution for high ceilings and areas hard to access for balancing




SKP series constant air volume dampers for circular duct by EffectiV HVAC™ greatly facilitate the balancing of ventilation systems. Those dampers maintain constant air volume within a pressure zone between 0.08 in.w.g and 2.4 in.w.g. depending on the model.


SKP is a self-adjustable damper. It is preset by the installer to maintain a specific air volume in cfm, by mean of a screwdriver torx n°10. The damper will then auto-adjust itself to maintain the desired volume of air while performing within the pressure range. The damper is operated by an opposed opening force of an air blade against a spring.

Housing is constructed from galvanized steel or plastic, the regulator blade is constructed from plastic and tightness joint from rubber. The entire product is rated UL 2043.

SKP 3" and 4" Diameters



SKP 5" Diameter and Up




SKP Adjustment

Before fitting the regulator, the flowrate must be calibrated:


1. Slacken the locking screw on the flow regulation module with a Torx No.10 screwdriver
2. Align the set point marking with the required flowrate on the left or right of the module (see picture example of 50 m³/h setting). **1 cfm = 1.7 m³/h**
Newer versions are labeled in cfm.
3. Tighten the locking screw on the flow regulation module

Intermediate flowrates are possible by aligning the set point marking between graduations on the regulator.




SKP Installation

It is essential to comply with the direction of air flow shown on the sleeve




Constant flow regulator in return air mode



Constant flow regulator in air supply mode

SKP Dimensions and Performance Overview



SKP (Standard)

Operates between 0.2 and 1 in.w.g. (50-250 Pa)

| Model | D | L | Min m3/h | Max m3/h | Min cfm | Max cfm |
|-------------------|----------|----------|----------|----------|---------|---------|
| SKP 03 29 | 2 63/64" | 2 1/4" | 15 | 50 | 9 | 29 |
| SKP 04 29 | 3 25/32" | 2 43/64" | 15 | 50 | 9 | 29 |
| SKP 04 59 | 3 25/32" | 2 43/64" | 50 | 100 | 29 | 59 |
| SKP 05 29 | 4 23/32" | 2 43/64" | 15 | 50 | 9 | 29 |
| SKP 05 59 | 4 23/32" | 2 43/64" | 50 | 100 | 29 | 59 |
| SKP 05 106 | 4 23/32" | 3 25/64" | 100 | 180 | 59 | 106 |
| SKP 06 59 | 5 53/64" | 3 11/32" | 50 | 100 | 29 | 59 |
| SKP 06 106 | 5 53/64" | 3 11/32" | 100 | 180 | 59 | 106 |
| SKP 06 157 | 5 53/64" | 3 11/32" | 180 | 300 | 106 | 177 |
| SKP 08 106 | 7 43/64" | 3 37/64" | 100 | 180 | 59 | 106 |
| SKP 08 177 | 7 43/64" | 3 37/64" | 180 | 300 | 106 | 177 |
| SKP 08 294 | 7 43/64" | 3 37/64" | 300 | 500 | 177 | 294 |
| SKP 10 106 | 9 41/64" | 4 23/32" | 100 | 180 | 59 | 106 |
| SKP 10 177 | 9 41/64" | 4 23/32" | 180 | 300 | 106 | 177 |
| SKP 10 294 | 9 41/64" | 4 23/32" | 300 | 500 | 176 | 294 |
| SKP 10 470 | 9 41/64" | 4 23/32" | 450 | 800 | 265 | 470 |

SKP-LP (Low Pressure)


Operates between 0.08 and 0.4 in.w.g. (20-100 Pa)

| Model | D | L | Min m3/h | Max m3/h | Min cfm | Max cfm |
|---------------------|----------|----------|----------|----------|---------|---------|
| SKP-LP 03 18 | 2 63/64" | 2 11/64" | 10 | 30 | 6 | 18 |
| SKP-LP 04 18 | 3 25/32" | 2 3/4" | 10 | 30 | 6 | 18 |
| SKP-LP 04 35 | 3 25/32" | 2 3/4" | 30 | 60 | 18 | 35 |
| SKP-LP 05 18 | 4 23/32" | 3 25/64" | 10 | 30 | 6 | 18 |
| SKP-LP 05 35 | 4 23/32" | 3 25/64" | 30 | 60 | 18 | 35 |
| SKP-LP 05 71 | 4 23/32" | 3 25/64" | 60 | 120 | 35 | 71 |


SKP-HP (High Pressure)

Operates between 0.6 and 2.4 in.w.g. (150-600 Pa)

| Model | D | L | Min m3/h | Max m3/h | Min cfm | Max cfm |
|----------------------|----------|----------|----------|----------|---------|---------|
| SKP-HP 03 53 | 2 63/64" | 2 11/64" | 25 | 90 | 15 | 53 |
| SKP-HP 04 53 | 3 25/32" | 2 3/4" | 25 | 90 | 15 | 53 |
| SKP-HP 04 100 | 3 25/32" | 2 3/4" | 90 | 170 | 53 | 100 |
| SKP-HP 05 53 | 4 23/32" | 3 25/64" | 25 | 90 | 15 | 53 |
| SKP-HP 05 100 | 4 23/32" | 3 25/64" | 90 | 170 | 53 | 100 |
| SKP-HP 05 176 | 4 23/32" | 3 25/64" | 180 | 300 | 106 | 176 |
| SKP-HP 06 53 | 5 53/64" | 3 37/64" | 25 | 90 | 15 | 53 |
| SKP-HP 06 100 | 5 53/64" | 3 37/64" | 90 | 170 | 53 | 100 |
| SKP-HP 06 176 | 5 53/64" | 3 37/64" | 180 | 300 | 106 | 176 |
| SKP-HP 06 294 | 5 53/64" | 3 37/64" | 300 | 500 | 176 | 294 |
| SKP-HP 08 100 | 7 43/64" | 3 37/64" | 90 | 170 | 53 | 100 |
| SKP-HP 08 176 | 7 43/64" | 3 37/64" | 180 | 300 | 106 | 176 |
| SKP-HP 08 294 | 7 43/64" | 3 37/64" | 300 | 500 | 176 | 294 |
| SKP-HP 08 500 | 7 43/64" | 3 37/64" | 500 | 850 | 294 | 500 |
| SKP-HP 10 176 | 9 41/64" | 4 23/32" | 180 | 300 | 106 | 176 |
| SKP-HP 10 294 | 9 41/64" | 4 23/32" | 300 | 500 | 176 | 294 |
| SKP-HP 10 500 | 9 41/64" | 4 23/32" | 500 | 850 | 294 | 500 |
| SKP-HP 10 765 | 9 41/64" | 4 23/32" | 850 | 1300 | 500 | 765 |

SKP 3" Performance Data**SKP 03 29 (3 in. diameter, up to 29 cfm)****Acoustic Power Level Lw in dB(A)**


| cfm | m ³ /h | dB(A) 0.2 in.w.g. | dB(A) 0.4 in.w.g. | dB(A) 0.6 in.w.g. | dB(A) 0.8 in.w.g. | dB(A) 1 in.w.g. |
|-----|-------------------|----------------------|----------------------|----------------------|----------------------|--------------------|
| 9 | 15 | 24 | 30 | 33 | 35 | 37 |
| 18 | 30 | 27 | 33 | 39 | 43 | 45 |
| 26 | 45 | 27 | 33 | 39 | 42 | 45 |
| 29 | 50 | 28 | 34 | 38 | 42 | 45 |

SKP 4" Performance Data**SKP 04 29 (4 in. diameter, up to 29 cfm)****Acoustic Power Level Lw in dB(A)**

| cfm | m ³ /h | dB(A) 0.2 in.w.g. | dB(A) 0.4 in.w.g. | dB(A) 0.6 in.w.g. | dB(A) 0.8 in.w.g. | dB(A) 1 in.w.g. |
|-----|-------------------|----------------------|----------------------|----------------------|----------------------|--------------------|
| 9 | 15 | 24 | 26 | 30 | 33 | 36 |
| 15 | 25 | 26 | 33 | 37 | 41 | 44 |
| 18 | 30 | 27 | 33 | 37 | 42 | 45 |
| 26 | 45 | 29 | 36 | 40 | 42 | 44 |
| 29 | 50 | 29 | 36 | 38 | 42 | 44 |



SKP 04 59 (4 in. diameter, up to 59 cfm)




Acoustic Power Level Lw in dB(A)

| cfm | m ³ /h | dB(A) 0.2 in.w.g. | dB(A) 0.4 in.w.g. | dB(A) 0.6 in.w.g. | dB(A) 0.8 in.w.g. | dB(A) 1 in.w.g. |
|-----|-------------------|----------------------|----------------------|----------------------|----------------------|--------------------|
| 29 | 50 | 29 | 35 | 40 | 43 | 45 |
| 35 | 60 | 31 | 37 | 41 | 44 | 46 |
| 44 | 75 | 31 | 38 | 42 | 45 | 48 |
| 53 | 90 | 33 | 39 | 43 | 46 | 48 |
| 59 | 100 | 33 | 39 | 43 | 46 | 48 |

SKP 5" Performance Data



SKP 05 29 (5 in. diameter, up to 29 cfm)




Acoustic Power Level Lw in dB(A)

| cfm | m ³ /h | dB(A) 0.2 in.w.g. | dB(A) 0.4 in.w.g. | dB(A) 0.6 in.w.g. | dB(A) 0.8 in.w.g. | dB(A) 1 in.w.g. |
|-----|-------------------|----------------------|----------------------|----------------------|----------------------|--------------------|
| 9 | 15 | 25 | 29 | 32 | 34 | 36 |
| 15 | 25 | 26 | 32 | 37 | 42 | 45 |
| 18 | 30 | 27 | 32 | 37 | 42 | 46 |
| 26 | 45 | 28 | 33 | 37 | 41 | 44 |
| 29 | 50 | 30 | 34 | 37 | 41 | 44 |



SKP 05 59 (5 in. diameter, up to 59 cfm)




Acoustic Power Level Lw in dB(A)

0.2 0.4 0.6 0.8 1 in.w.g.

| cfm | m ³ /h | dB(A) 0.2 in.w.g. | dB(A) 0.4 in.w.g. | dB(A) 0.6 in.w.g. | dB(A) 0.8 in.w.g. | dB(A) 1 in.w.g. |
|-----|-------------------|----------------------|----------------------|----------------------|----------------------|--------------------|
| 29 | 50 | 27 | 34 | 39 | 43 | 45 |
| 35 | 60 | 30 | 35 | 39 | 43 | 45 |
| 44 | 75 | 31 | 35 | 39 | 43 | 45 |
| 53 | 90 | 32 | 35 | 39 | 43 | 45 |
| 59 | 100 | 34 | 36 | 40 | 43 | 45 |

SKP 05 106 (5 in. diameter, up to 106 cfm)



Acoustic Power Level Lw in dB(A)


0.2 0.4 0.6 0.8 1 in.w.g.

| cfm | m ³ /h | dB(A) 0.2 in.w.g. | dB(A) 0.4 in.w.g. | dB(A) 0.6 in.w.g. | dB(A) 0.8 in.w.g. | dB(A) 1 in.w.g. |
|-----|-------------------|----------------------|----------------------|----------------------|----------------------|--------------------|
| 59 | 100 | 35 | 40 | 44 | 48 | 50 |
| 71 | 120 | 35 | 41 | 45 | 47 | 48 |
| 88 | 150 | 36 | 42 | 45 | 47 | 49 |
| 106 | 180 | 38 | 42 | 45 | 47 | 49 |

SKP 6" Performance Data




SKP 06 59 (6 in. diameter, up to 59 cfm)



Acoustic Power Level Lw in dB(A)

| cfm | m ³ /h | dB(A) 0.2 in.w.g. | dB(A) 0.4 in.w.g. | dB(A) 0.6 in.w.g. | dB(A) 0.8 in.w.g. | dB(A) 1 in.w.g. |
|-----|-------------------|----------------------|----------------------|----------------------|----------------------|--------------------|
| 9 | 15 | 25 | 29 | 32 | 34 | 36 |
| 15 | 25 | 26 | 32 | 37 | 42 | 45 |
| 18 | 30 | 27 | 32 | 37 | 42 | 46 |
| 26 | 45 | 28 | 33 | 37 | 41 | 44 |
| 29 | 50 | 30 | 34 | 37 | 41 | 44 |

SKP 06 106 (6 in. diameter, up to 106 cfm)




Acoustic Power Level Lw in dB(A)

| cfm | m ³ /h | dB(A) 0.2 in.w.g. | dB(A) 0.4 in.w.g. | dB(A) 0.6 in.w.g. | dB(A) 0.8 in.w.g. | dB(A) 1 in.w.g. |
|-----|-------------------|----------------------|----------------------|----------------------|----------------------|--------------------|
| 59 | 100 | 38 | 44 | 46 | 49 | 51 |
| 71 | 120 | 39 | 44 | 47 | 49 | 50 |
| 88 | 150 | 40 | 45 | 49 | 51 | 52 |
| 106 | 180 | 42 | 47 | 49 | 51 | 53 |



SKP 06 176 (6 in. diameter, up to 176 cfm)




Acoustic Power Level Lw in dB(A)

| cfm | m ³ /h | dB(A) 0.2 in.w.g. | dB(A) 0.4 in.w.g. | dB(A) 0.6 in.w.g. | dB(A) 0.8 in.w.g. | dB(A) 1 in.w.g. |
|-----|-------------------|----------------------|----------------------|----------------------|----------------------|--------------------|
| 106 | 180 | 38 | 43 | 46 | 49 | 51 |
| 124 | 210 | 39 | 45 | 48 | 50 | 52 |
| 141 | 240 | 40 | 44 | 47 | 49 | 50 |
| 159 | 270 | 39 | 45 | 48 | 50 | 52 |
| 176 | 300 | 41 | 46 | 49 | 51 | 53 |

SKP 8" Performance Data



SKP 08 106 (8 in. diameter, up to 106 cfm)




Acoustic Power Level Lw in dB(A)

| cfm | m ³ /h | dB(A) 0.2 in.w.g. | dB(A) 0.4 in.w.g. | dB(A) 0.6 in.w.g. | dB(A) 0.8 in.w.g. | dB(A) 1 in.w.g. |
|-----|-------------------|----------------------|----------------------|----------------------|----------------------|--------------------|
| 59 | 100 | 38 | 44 | 46 | 49 | 51 |
| 71 | 120 | 39 | 44 | 47 | 49 | 50 |
| 88 | 150 | 40 | 45 | 49 | 51 | 52 |
| 106 | 180 | 42 | 47 | 49 | 51 | 53 |



SKP 08 176 (8 in. diameter, up to 176 cfm)




Acoustic Power Level Lw in dB(A)

| cfm | m ³ /h | dB(A) 0.2 in.w.g. | dB(A) 0.4 in.w.g. | dB(A) 0.6 in.w.g. | dB(A) 0.8 in.w.g. | dB(A) 1 in.w.g. |
|-----|-------------------|----------------------|----------------------|----------------------|----------------------|--------------------|
| 106 | 180 | 39 | 45 | 47 | 50 | 53 |
| 124 | 210 | 40 | 46 | 48 | 49 | 51 |
| 141 | 240 | 40 | 46 | 49 | 51 | 53 |
| 159 | 270 | 40 | 47 | 50 | 51 | 53 |
| 176 | 300 | 42 | 50 | 52 | 53 | 54 |




SKP 08 294 (8 in. diameter, up to 294 cfm)




Acoustic Power Level Lw in dB(A)

| cfm | m ³ /h | dB(A) 0.2 in.w.g. | dB(A) 0.4 in.w.g. | dB(A) 0.6 in.w.g. | dB(A) 0.8 in.w.g. | dB(A) 1 in.w.g. |
|-----|-------------------|----------------------|----------------------|----------------------|----------------------|--------------------|
| 176 | 300 | 39 | 44 | 48 | 50 | 52 |
| 206 | 350 | 41 | 45 | 49 | 51 | 54 |
| 235 | 400 | 41 | 47 | 50 | 52 | 54 |
| 265 | 450 | 41 | 47 | 51 | 53 | 55 |
| 294 | 500 | 42 | 48 | 52 | 54 | 56 |


SKP 10" Performance Data**SKP 10 176 (10 in. diameter, up to 176 cfm)****Acoustic Power Level Lw in dB(A)**

| cfm | m ³ /h | dB(A) 0.2 in.w.g. | dB(A) 0.4 in.w.g. | dB(A) 0.6 in.w.g. | dB(A) 0.8 in.w.g. | dB(A) 1 in.w.g. |
|-----|-------------------|----------------------|----------------------|----------------------|----------------------|--------------------|
| 106 | 180 | 39 | 45 | 47 | 50 | 53 |
| 124 | 210 | 40 | 46 | 48 | 49 | 51 |
| 141 | 240 | 40 | 46 | 49 | 51 | 53 |
| 159 | 270 | 40 | 47 | 50 | 51 | 53 |
| 176 | 300 | 42 | 50 | 52 | 53 | 54 |

SKP 10 294 (10 in. diameter, up to 294 cfm)**Acoustic Power Level Lw in dB(A)**

| cfm | m ³ /h | dB(A) 0.2 in.w.g. | dB(A) 0.4 in.w.g. | dB(A) 0.6 in.w.g. | dB(A) 0.8 in.w.g. | dB(A) 1 in.w.g. |
|-----|-------------------|----------------------|----------------------|----------------------|----------------------|--------------------|
| 176 | 300 | 34 | 44 | 48 | 49 | 51 |
| 206 | 350 | 36 | 45 | 49 | 50 | 52 |
| 235 | 400 | 37 | 46 | 50 | 52 | 53 |
| 265 | 450 | 37 | 47 | 52 | 54 | 55 |
| 294 | 500 | 38 | 48 | 52 | 54 | 56 |

SKP 10 470 (10 in. diameter, up to 470 cfm)




Acoustic Power Level Lw in dB(A)

| cfm | m ³ /h | dB(A) 0.2 in.w.g. | dB(A) 0.4 in.w.g. | dB(A) 0.6 in.w.g. | dB(A) 0.8 in.w.g. | dB(A) 1 in.w.g. |
|-----|-------------------|----------------------|----------------------|----------------------|----------------------|--------------------|
| 265 | 450 | 35 | 42 | 47 | 50 | 53 |
| 294 | 500 | 36 | 44 | 48 | 51 | 56 |
| 323 | 550 | 44 | 48 | 51 | 54 | 60 |
| 353 | 600 | 45 | 50 | 52 | 58 | 58 |
| 385 | 650 | 45 | 50 | 53 | 57 | 58 |
| 412 | 700 | 46 | 51 | 55 | 56 | 57 |
| 441 | 750 | 46 | 52 | 55 | 56 | 58 |
| 471 | 800 | 46 | 54 | 55 | 57 | 59 |

SKP-LP 3" Performance Data




SKP-LP 03 18 (Low Pressure, 3 in. diameter, up to 18 cfm)




SKP-LP 4" Performance Data



SKP-LP 04 18 (Low Pressure, 4 in. diameter, up to 18 cfm)




SKP-LP 04 35 (Low Pressure, 4 in. diameter, up to 35 cfm)




SKP-LP 5" Performance Data




SKP-LP 05 18 (Low Pressure, 5 in. diameter, up to 18 cfm)
10-30 m³/h (6-18 cfm)



SKP-LP 05 35 (Low Pressure, 5 in. diameter, up to 35 cfm)
30-60 m³/h (18-35 cfm)




SKP-LP 05 71 (Low Pressure, 5 in. diameter, up to 71 cfm)
60-120 m³/h (35-71 cfm)



SKP-HP 3" Performance Data



SKP-HP 03 53 (High Pressure, 3 in. diameter, up to 53 cfm)




Acoustic Power Level Lw in dB(A)

| cfm | m ³ /h | dB 0.6 in.w.g. | dB 1.2 in.w.g. | dB 1.8 in.w.g. | dB 2.4 in.w.g. |
|-----|-------------------|-------------------|-------------------|-------------------|-------------------|
| 15 | 25 | 41 | 50 | 53 | 56 |
| 29 | 50 | 45 | 53 | 58 | 61 |
| 44 | 75 | 47 | 54 | 58 | 61 |
| 53 | 90 | 51 | 55 | 59 | 61 |

SKP-HP 4" Performance Data



SKP-HP 04 53 (High Pressure, 4 in. diameter, up to 53 cfm)




| cfm | m ³ /h | dB 0.6 in.w.g. | dB 1.2 in.w.g. | dB 1.8 in.w.g. | dB 2.4 in.w.g. |
|-----|-------------------|-------------------|-------------------|-------------------|-------------------|
| 15 | 25 | 41 | 50 | 53 | 56 |
| 29 | 50 | 45 | 53 | 58 | 61 |
| 44 | 75 | 47 | 54 | 58 | 61 |
| 53 | 90 | 51 | 55 | 59 | 61 |

Acoustic Power Level Lw in dB(A)



SKP-HP 04 100 (High Pressure, 4 in. diameter, up to 100 cfm)




| cfm | m ³ /h | dB 0.6 in.w.g. | dB 1.2 in.w.g. | dB 1.8 in.w.g. | dB 2.4 in.w.g. |
|-----|-------------------|-------------------|-------------------|-------------------|-------------------|
| 53 | 90 | 45 | 52 | 56 | 59 |
| 59 | 100 | 46 | 52 | 56 | 59 |
| 74 | 125 | 48 | 53 | 57 | 59 |
| 88 | 150 | 50 | 54 | 58 | 61 |
| 100 | 170 | 51 | 54 | 58 | 61 |

Acoustic Power Level Lw in dB(A)

SKP-HP 5" Performance Data




SKP-HP 05 53 (High Pressure, 5 in. diameter, up to 53 cfm)




| cfm | m ³ /h | dB 0.6 in.w.g. | dB 1.2 in.w.g. | dB 1.8 in.w.g. | dB 2.4 in.w.g. |
|-----|-------------------|-------------------|-------------------|-------------------|-------------------|
| 15 | 25 | 41 | 50 | 53 | 56 |
| 29 | 50 | 45 | 53 | 58 | 61 |
| 44 | 75 | 47 | 54 | 58 | 61 |
| 53 | 90 | 51 | 55 | 59 | 61 |

Acoustic Power Level Lw in dB(A)


SKP-HP 05 100 (High Pressure, 5 in. diameter, up to 100 cfm)


| cfm | m ³ /h | dB 0.6 in.w.g. | dB 1.2 in.w.g. | dB 1.8 in.w.g. | dB 2.4 in.w.g. |
|-----|-------------------|-------------------|-------------------|-------------------|-------------------|
| 53 | 90 | 45 | 52 | 56 | 59 |
| 59 | 100 | 46 | 52 | 56 | 59 |
| 74 | 125 | 48 | 53 | 57 | 59 |
| 88 | 150 | 50 | 54 | 58 | 61 |
| 100 | 170 | 51 | 54 | 58 | 61 |

Acoustic Power Level Lw in dB(A)

SKP-HP 05 176 (High Pressure, 5 in. diameter, up to 176 cfm)



| cfm | m ³ /h | dB 0.6 in.w.g. | dB 1.2 in.w.g. | dB 1.8 in.w.g. | dB 2.4 in.w.g. |
|-----|-------------------|-------------------|-------------------|-------------------|-------------------|
| 106 | 180 | 48 | 55 | 58 | 59 |
| 118 | 200 | 49 | 55 | 59 | 61 |
| 147 | 250 | 50 | 56 | 59 | 61 |
| 176 | 300 | 52 | 56 | 59 | 61 |

Acoustic Power Level Lw in dB(A)

SKP-HP 6" Performance Data



SKP-HP 06 100 (High Pressure, 6 in. diameter, up to 100 cfm)




| cfm | m ³ /h | dB 0.6 in.w.g. | dB 1.2 in.w.g. | dB 1.8 in.w.g. | dB 2.4 in.w.g. |
|-----|-------------------|-------------------|-------------------|-------------------|-------------------|
| 53 | 90 | 45 | 52 | 56 | 59 |
| 59 | 100 | 46 | 52 | 56 | 59 |
| 74 | 125 | 48 | 53 | 57 | 59 |
| 88 | 150 | 50 | 54 | 58 | 61 |
| 100 | 170 | 51 | 54 | 58 | 61 |

Acoustic Power Level Lw in dB(A)



SKP-HP 06 176 (High Pressure, 6 in. diameter, up to 176 cfm)




| cfm | m ³ /h | dB 0.6 in.w.g. | dB 1.2 in.w.g. | dB 1.8 in.w.g. | dB 2.4 in.w.g. |
|-----|-------------------|-------------------|-------------------|-------------------|-------------------|
| 106 | 180 | 48 | 55 | 58 | 59 |
| 118 | 200 | 49 | 55 | 59 | 61 |
| 147 | 250 | 50 | 56 | 59 | 61 |
| 176 | 300 | 52 | 56 | 59 | 61 |

Acoustic Power Level Lw in dB(A)



SKP-HP 06 294 (High Pressure, 6 in. diameter, up to 294 cfm)




| cfm | m ³ /h | dB 0.6 in.w.g. | dB 1.2 in.w.g. | dB 1.8 in.w.g. | dB 2.4 in.w.g. |
|-----|-------------------|-------------------|-------------------|-------------------|-------------------|
| 176 | 300 | 53 | 57 | 59 | 61 |
| 206 | 350 | 54 | 58 | 60 | 62 |
| 235 | 400 | 54 | 58 | 61 | 64 |
| 265 | 450 | 55 | 59 | 63 | 64 |
| 294 | 500 | 56 | 60 | 63 | 65 |

Acoustic Power Level Lw in dB(A)

SKP-HP 8" Performance Data



SKP-HP 08 100 (High Pressure, 8 in. diameter, up to 100 cfm)




| cfm | m ³ /h | dB 0.6 in.w.g. | dB 1.2 in.w.g. | dB 1.8 in.w.g. | dB 2.4 in.w.g. |
|-----|-------------------|-------------------|-------------------|-------------------|-------------------|
| 53 | 90 | 45 | 52 | 56 | 59 |
| 59 | 100 | 46 | 52 | 56 | 59 |
| 74 | 125 | 48 | 53 | 57 | 59 |
| 88 | 150 | 50 | 54 | 58 | 61 |
| 100 | 170 | 51 | 54 | 58 | 61 |

Acoustic Power Level Lw in dB(A)



SKP-HP 08 176 (High Pressure, 8 in. diameter, up to 176 cfm)




| cfm | m ³ /h | dB 0.6 in.w.g. | dB 1.2 in.w.g. | dB 1.8 in.w.g. | dB 2.4 in.w.g. |
|-----|-------------------|-------------------|-------------------|-------------------|-------------------|
| 106 | 180 | 48 | 55 | 58 | 59 |
| 118 | 200 | 49 | 55 | 59 | 61 |
| 147 | 250 | 50 | 56 | 59 | 61 |
| 176 | 300 | 52 | 56 | 59 | 61 |

Acoustic Power Level Lw in dB(A)




SKP-HP 08 294 (High Pressure, 8 in. diameter, up to 294 cfm)



| cfm | m ³ /h | dB 0.6 in.w.g. | dB 1.2 in.w.g. | dB 1.8 in.w.g. | dB 2.4 in.w.g. |
|-----|-------------------|-------------------|-------------------|-------------------|-------------------|
| 176 | 300 | 53 | 57 | 59 | 61 |
| 206 | 350 | 54 | 58 | 60 | 62 |
| 235 | 400 | 54 | 58 | 61 | 64 |
| 265 | 450 | 55 | 59 | 63 | 64 |
| 294 | 500 | 56 | 60 | 63 | 65 |

Acoustic Power Level Lw in dB(A)

SKP-HP 08 500 (High Pressure, 8 in. diameter, up to 500 cfm)



| cfm | m ³ /h | dB 0.6 in.w.g. | dB 1.2 in.w.g. | dB 1.8 in.w.g. | dB 2.4 in.w.g. |
|-----|-------------------|-------------------|-------------------|-------------------|-------------------|
| 294 | 500 | 54 | 58 | 61 | 63 |
| 353 | 600 | 54 | 57 | 61 | 63 |
| 412 | 700 | 55 | 59 | 62 | 64 |
| 471 | 800 | 56 | 61 | 65 | 66 |
| 500 | 850 | 57 | 62 | 65 | 67 |


Acoustic Power Level Lw in dB(A)

SKP-HP 10" Performance Data



SKP-HP 10 176 (High Pressure, 10 in. diameter, up to 176

cfm m³/h 180-300 m³/h (106-176 cfm)




| cfm | m ³ /h | dB 0.6 in.w.g. | dB 1.2 in.w.g. | dB 1.8 in.w.g. | dB 2.4 in.w.g. |
|-----|-------------------|-------------------|-------------------|-------------------|-------------------|
| 106 | 180 | 48 | 55 | 58 | 59 |
| 118 | 200 | 49 | 55 | 59 | 61 |
| 147 | 250 | 50 | 56 | 59 | 61 |
| 176 | 300 | 52 | 56 | 59 | 61 |

Acoustic Power Level Lw in dB(A)

SKP-HP 10 294 (High Pressure, 10 in. diameter, up to 294

cfm m³/h 300-500 m³/h (176-294 cfm)




| cfm | m ³ /h | dB 0.6 in.w.g. | dB 1.2 in.w.g. | dB 1.8 in.w.g. | dB 2.4 in.w.g. |
|-----|-------------------|-------------------|-------------------|-------------------|-------------------|
| 176 | 300 | 53 | 57 | 59 | 61 |
| 206 | 350 | 54 | 58 | 60 | 62 |
| 235 | 400 | 54 | 58 | 61 | 64 |
| 265 | 450 | 55 | 59 | 63 | 64 |
| 294 | 500 | 56 | 60 | 63 | 65 |

Acoustic Power Level Lw in dB(A)



SKP-HP 10 500 (High Pressure, 10 in. diameter, up to 500 cfm)




| cfm | m ³ /h | dB 0.6 in.w.g. | dB 1.2 in.w.g. | dB 1.8 in.w.g. | dB 2.4 in.w.g. |
|-----|-------------------|-------------------|-------------------|-------------------|-------------------|
| 294 | 500 | 54 | 58 | 61 | 63 |
| 353 | 600 | 54 | 57 | 61 | 63 |
| 412 | 700 | 55 | 59 | 62 | 64 |
| 471 | 800 | 56 | 61 | 65 | 66 |
| 500 | 850 | 57 | 62 | 65 | 67 |

Acoustic Power Level Lw in dB(A)



SKP-HP 10 765 (High Pressure, 10 in. diameter, up to 765 cfm)



How to Specify SKP

Supply and mounting of SKP Constant Air Volume Damper/Regulator, self-adjustable to maintain desired volume of air in pressure conditions varying between 0.2 and 1 in.w.g. (50 Pa and 250 Pa). Constructed from plastic and certified UL 2043. By EffectiV HVAC.

How to Specify SKP-LP

Supply and mounting of SKP Low Pressure Constant Air Volume Damper/Regulator, self-adjustable to maintain desired volume of air in pressure conditions varying between 0.08 and 0.4 in.w.g. (20 Pa and 100 Pa). Constructed from plastic and certified UL 2043. By EffectiV HVAC.

How to Specify SKP-HP

Supply and mounting of SKP High Pressure Constant Air Volume Damper/Regulator, self-adjustable to maintain desired volume of air in pressure conditions varying between 0.6 and 2.4 in.w.g. (150 Pa and 600 Pa). Constructed from plastic and certified UL 2043. By EffectiV HVAC.

